

# **REDLINE**

## **SMALL TANDEM ROLLER**



DRA30


### DRA30 small tandem roller at a glance

Easy, compact and efficient- The DRA30 combines high quality results, low noise and efficency compaction.

Rely on the performance of the DRA30, independant from the asphalt mix. And the great operator visibility and ergonomics ensure a high quality level, even in demanding situations.

| Operating mass (incl. ROPS)      | 3100 kg           |
|----------------------------------|-------------------|
| Max. operating mass              | 3200 kg           |
| Static linear load (front/rear)  | 12.5 / 13.3 kg/cm |
| Max. operating mass (front/rear) | 1500 kg/1600 kg   |
| Drum width                       | 1200 mm           |
| Nominal amplitude                | 0.5 mm            |
| Vibration frequency              | 58 Hz             |
| Engine type                      | Dynapac           |
| Engine rated power @2600 rpm     | 39 hp             |





### Reliable and efficient compaction

Ideal combination of amplitude, frequency & centrifugal force for optimum compaction, excellent surface finish and high productivity.

Two scrapers per drum ensure that no material sticks to the drum.

Adjustable scrapers makes it convenient to change gap between the drum and the blade according to the needs.





### Ergonomic & simple operators dashboard

- Ergonomically laid out controls and informative display
- Lean design for easy operation
- Informative and robust display in the center of the dashboard



### Reliable Dynapac engine for maximum uptime

- All service and parts fully provided by Redline dealer network
- Quick responses through dedicated Redline dealer network
- 3 cylinder water cooled engine
- 39 hp @ 2600rpm



# High quality results due to ergonomic operator platform

- Ergonomic forward and reverse handle
- Spacious operator platform with ergonomically positioned steps
- An interlock system prevents accidental engine starting



## Excellent overview to concentrate on the job

- Operator platform ensures best all-around visibility
- Front and rear visibility is best in class
- 1 m high x 0.44 m away from machine front and rear objects can be seen from seat



# Wide hood opening and clever service concept for easy maintenance

- Safe and easy access to engine compartment
- Easy to fill water tank- with 160 l capacity
- Access from the ground for easy refills
- Triple filtration sprinkler system with filling cap filter, sprinkler pump filter & nozzle filter







#### **FLUIDS & LUBRICANTS**

- Right Fluids as confirmed by product design
- Right size of packaging to avoid storage



#### **EXTENDED WARRANTY**

- Extended warranty for peace of mind
- Service agreement to ensure higher uptime



#### TAILOR MADE TRAININGS

 Various training modules geared towards our customes requirements

## Reliable Aftermarket Support - Solutions to fit



### MAINTENANCE KITS

- All-in-one box concept for ease of odering
- Designed to cover full maintenance
- Cost effective as well as easy to plan



### **WEAR & REPAIR KITS**

- All-in-one box package for ease of odering
- Right quality at right cost, for minimum cost of operation
- Different options to suit all maintenance

## **Dealership Details**